

- Orzechowski, H.-D., Richter, C.-M., **Funke-Kaiser, H.**, Kröger, B., Schmidt, M., Menzel, S., Bohnemeier, H., Paul, M. (1997):
Evidence of alternative promoters directing isoform-specific expression of human endothelin-converting enzyme-1 mRNA in cultured endothelial cells.
J. Mol. Med. 75: 512-521
- **Funke-Kaiser, H.**, Orzechowski, H.-D., Richter, M., Paul, M. (1998):
Human endothelin-converting enzyme-1beta (ECE-1beta) mRNA expression is regulated by an alternative promoter.
J. Cardiovasc. Pharmacol. 31(Suppl. 1): S7-S9
- Orzechowski, H.-D., Günther, A., Menzel, S., **Funke-Kaiser, H.**, Richter, M., Bohnemeier, H., Paul, M. (1998):
Endothelial expression of endothelin-converting enzyme-1 β mRNA is regulated by the transcription factor Ets-1.
J. Cardiovasc. Pharmacol. 31(Suppl. 1): S55-S57
- Orzechowski, H.-D., Richter, C.-M., **Funke-Kaiser, H.**, Lemmer, J., Theis, S., Paul, M. (1999):
Cloning and functional characterization of the bovine endothelin-converting enzyme-1a promoter.
Biochim. Biophys. Acta 1446: 352-358
- **Funke-Kaiser, H.**, Bolbrinker, J., Theis, S., Lemmer, J., Richter, C.-M., Paul, M., Orzechowski, H.-D. (2000):
Characterization of the c-specific promoter of the gene encoding human endothelin-converting enzyme-1 (ECE-1).
FEBS Lett. 466: 310-316
- **Funke-Kaiser, H.**, Theis, S., Behrouzi, T., Thomas, A., Scheuch, K., Zollmann, F.S., Paterka, M., Paul, M., Orzechowski, H.-D. (2001):
Functional characterization of the human prion protein (PrP) promoter in neuronal and endothelial cells.
J. Mol. Med. 79: 529-535
- Herrmann, S.-M., **Funke-Kaiser, H.**, Schmidt-Petersen, K., Nicaud, V., Gautier-Bertrand, M., Evans, A., Kee, F., Arveiler, D., Morrison, C., Orzechowski, H.-D., Elbaz, A., Amarenco, P., Cambien, F., Paul, M. (2001):
Characterization of polymorphic structure of cathepsin G gene.
Arterioscler. Thromb. Vasc. Biol. 21: 1538-1543
- Orzechowski, H.-D., Günther, A., Menzel, S., Zimmermann, A., **Funke-Kaiser, H.**, Real, R., Subkowski, T., Zollmann, F.S., Paul, M. (2001):
Transcriptional mechanism of protein kinase C-induced isoform-specific expression of the gene for endothelin-converting enzyme-1 in human endothelial cells.
Mol. Pharmacol. 60: 1332-1342
- **Funke-Kaiser, H.**, Reichenberger, F., Köpke, K., Herrmann, S.-M., Pfeifer, J., Orzechowski, H.-D., Zidek, W., Paul, M., Brand, E. (2003):
Differential binding of transcription factor E2F-2 to the endothelin-converting enzyme-1b promoter affects blood pressure regulation.
Hum. Mol. Genet. 12: 423-433
- **Funke-Kaiser, H.**, Lemmer, J., von Langsdorff, C., Thomas, A., Kovacevic, S.D., Strasdat, M., Behrouzi, T., Zollmann, F. S., Paul, M., Orzechowski, H.-D. (2003):

Endothelin-converting enzyme-1 (ECE-1) is a downstream target of the homeobox transcription factor Nkx2-5.
FASEB J. 17: 1487-1489

- **Funke-Kaiser, H.**, Thomas, A., Kovacevic, S.D., Scheuch, K., Bolbrinker, J., Theis, S., Lemmer, J., Zimmermann, A., Zollmann, F. S., Herrmann, S.-M., Paul, M., Orzechowski, H.-D. (2003):
Regulation of the major isoform of human endothelin-converting enzyme-1 (ECE-1c) by a strong housekeeping promoter modulated by polymorphic microsatellites.
J. Hypertens. 21: 2111–2124
- Wruck, C. J., **Funke-Kaiser, H.**, Pufe, T., Kusserow, H., Menk, M., Schefe, J. H., Kruse, M.L., Stoll, M., Unger, T.:
Regulation of transport of the angiotensin AT2 receptor by a novel membrane-associated Golgi protein.
Arterioscler. Thromb. Vasc. Biol. 2004 Nov 11 [Epub ahead of print]; 2005, 25: 57-64
- Steckelings, U. M., **Funke-Kaiser, H.**, Unger, T. (2006):
Mtus1.
AfCS-Nature Molecule Pages (doi:10.1038/mp.a003948.01)
- Schefe, J. H., Lehmann, K.E., Buschmann, I. R., Unger, T., **Funke-Kaiser, H.** (2006):
Quantitative real-time RT-PCR data analysis: Current concepts and the novel "Gene Expression's CT Difference" formula.
J. Mol. Med. 84: 901-910
- Schefe, J. H., Menk, M., Reinemund, J., Effertz, K., Hobbs, R. M., Pandolfi, P. P., Ruiz, P., Unger, T., **Funke-Kaiser, H.** (2006):
A novel signal transduction cascade involving direct physical interaction of the renin/prorenin receptor with the transcription factor PLZF.
Circ. Res. 99: 1355-1366
- Slowinski, T., Kalk, P., Christian, M., Schmager, F., Relle, K., Godes, M., **Funke-Kaiser, H.**, Neumayer, H.-H., Bauer, C., Theuring, F., Hocher, B. (2007):
Cell-type specific interaction of endothelin- and nitric oxide system - pattern of prepro-ET-1 expression in kidneys of L-NAME treated prepro ET-1 promoter-lacZ-transgenic mice.
J. Physiol. 581: 1173-1181
- **Funke-Kaiser, H.**, Schefe, J. H., Unger, T. (2007):
Signaltransduktion des Renin-/ Prorenin-Rezeptors.
MedReport 31(49): 8
- Schefe, J. H., Unger, T., **Funke-Kaiser, H.** (2008):
PLZF and the (pro)renin receptor.
J. Mol. Med. 86: 623-627
- **Funke-Kaiser, H.**, Schefe, J. H., Unger, T. (2008):
Renin-Inhibitoren.
MedReport 32(5): 6
- Schefe, J. H., Neumann, C., Goebel, M., Danser, A. H. J., Kirsch, S., Gust, R., Kintscher, U., Unger, T., **Funke-Kaiser, H.** (2008):
Prorenin engages the renin receptor like renin and both ligand activities are unopposed by aliskiren.
J. Hypertens. 26: 1787-1794

- Thöne-Reineke, C., Neumann, C., Namsolleck, P., Schmerbach, K., Krikov, M., Schefe, J.H., Lucht, K., Hörtnagl, H., Godes, M., Müller, S., Rumschüssel, K., **Funke-Kaiser, H.**, Villringer, A., Steckelings, U. M., Unger, T. (2008)
The beta-lactam antibiotic, ceftriaxone, dramatically improves survival, increases glutamate uptake and induces neurotrophins in stroke.
J. Hypertens. 26: 2426-2435
- Reinemund, J., Seidel, K., Steckelings, U. M., Zaade, D., Klare, S., Rompe, F., Katerbaum, M., Schacherl, J., Li, Y., Menk, M., Schefe, J. H., Goldin-Lang, P., Szabo, C., Olah, G., Unger, T., **Funke-Kaiser, H.** (2009):
Poly(ADP-ribose) polymerase-1 (PARP-1) transcriptionally regulates angiotensin AT2 receptor (AT2R) and AT2R binding protein (ATBP) genes.
Biochem. Pharmacol. 77: 1795–1805
- **Funke-Kaiser, H.**, Reinemund, J., Steckelings, U. M., Unger, T. (2010):
Adapter proteins and promoter regulation of the AT2 receptor - implications for cardiac pathophysiology.
J. Renin Angiotensin Aldosterone Syst. 11: 7-17
- Steckelings, U. M., Rompe, F., Kaschina, E., Namsolleck, P., Grzesiak, A., **Funke-Kaiser, H.**, Bader, M., Unger, T. (2010):
The past, present and future of angiotensin II type 2 receptor stimulation.
J. Renin Angiotensin Aldosterone Syst. 11: 67-73
- **Funke-Kaiser, H.**, Zollmann, F. S., Schefe, J. H., Unger, T. (2010):
Signal transduction of the (pro)renin receptor as a novel therapeutic target for preventing end-organ damage.
Hypertens. Res. 33: 98-104
- Rompe, F., Artuc, M., Hallberg, A., Alterman, M., Ströder, K., Thöne-Reineke, K., Reichenbach, A., Schacherl, J., Dahlöf, B., Bader, M., Alenina, N., Schwaninger, M., Zuberbier, T., **Funke-Kaiser, H.**, Schmidt, C., Schunck, W.-H., Unger, T., Steckelings, U. M. (2010):
Direct angiotensin AT2-receptor stimulation acts antiinflammatory through epoxyeicosatrienoic acid and inhibition of NF-κB.
Hypertension 55: 924-931
- Menk, M., von Haefen, C., **Funke-Kaiser, H.**, Siffringer, M., Schefe, J. H., Kirsch, S., Seidel, K., Reinemund, J., Steckelings, U. M., Unger, T., Spies C. D. (2010):
Ethanol-induced downregulation of the angiotensin AT2 receptor in murine fibroblasts is mediated by PARP-1.
Alcohol 44: 495-506
- Seidel, K., Kirsch, S., Lucht, K., Zaade, D., Reinemund, J., Schmitz, J., Klare, S., Li, Y., Schefe, J. H., Schmerbach, K., Goldin-Lang, P., Zollmann, F. S., Thöne-Reineke, C., Unger, T., **Funke-Kaiser, H.** (2010):
The promyelocytic leukemia zinc finger (PLZF) protein exerts neuroprotective effects in neuronal cells and is dysregulated in experimental stroke.
Brain Pathol. 21: 31-43
- Schrezenmeier, E., Zollmann, F., Seidel, K., Böhm, C., Schmerbach, K., Kroh, M., Kirsch, S., Klare, S., Bernhard, S., Kappert, K., Goldin-Lang, P., Skuballa, W., Unger, T., **Funke-Kaiser, H.** (2012):
Moderate correlations of in vitro versus in vivo pharmacokinetics questioning the need of microsomal stability testing in early academic drug discovery.
Pharmacology 90: 307-315

- Li, Y., Seidel, K., Marschall, P., Klein, M., Hope, A., Schacherl, J., Schmitz, J., Menk, M., Scheffe, J.H., Reinemund, J., Hugel, R., Walden, P., Schlosser, A., Volkmer, R., Schimkus, J., Kölsch, H., Maier, W., Kornhuber, J., Frölich, L., Klare, S., Kirsch, S., Schmerbach, K., Scheele, S., Grittner, U., Zollmann, F., Goldin-Lang, P., Peters, O., Kintscher, U., Unger, T., **Funke-Kaiser, H.** (2012):
A polymorphic microsatellite repeat within the ECE-1c promoter is involved in transcriptional start site determination, human evolution and Alzheimer's disease.
J. Neurosci. 32: 16807-16820

- Bernhard, S.M., Seidel, K., Schmitz, J., Klare, S., Kirsch, S., Schrezenmeier, E., Zaade, D., Meyborg, H., Goldin-Lang, P., Stawowy, P., Zollmann, F.S., Unger, T., **Funke-Kaiser, H.** (2012):
The (pro)renin receptor ((P)RR) can act as a repressor of Wnt signalling.
Biochem. Pharmacol. 84: 1643-1650

- Zaade, D., Schmitz, J., Benke, E., Klare, S., Seidel, K., Kirsch, S., Goldin-Lang, P., Zollmann, F., Unger, T., **Funke-Kaiser, H.** (2013):
Distinct signal transduction pathways downstream of the (P)RR revealed by microarray and ChIP-chip analyses.
Plos One 8: e57674

- Li, Y., **Funke-Kaiser, H.** (2013):
The role of microsatellite repeats in Alzheimer's disease.
Cognitive Sciences 7: 53-91