

Veröffentlichungen 2010

Althoff T.F., Fischer M., Langer E., Ziemer S. & Baumann G.:

Sustained enhancement of residual platelet reactivity after coronary stenting in patients with myocardial infarction compared to elective patients.

Thromb Res 2010;125(5):e190-6

Armbrecht G., Belavý D.L., Gast U., Bongrazio M., Touby F., Beller G., Roth H.J., Perschel F.H., Rittweger J. & Felsenberg D.:

Resistive vibration exercise attenuates bone and muscle atrophy in 56 days of bed rest: biochemical markers of bone metabolism.

Osteoporosis Int 2010;21(4):597-607.

Bachran C. & Fuchs H.:

Meeting report on the second targeted tumor therapies.

Mol Cancer Ther 2010;9(1):17-23.

Bachran C., Weng A., Bachran D., Riese S.B., Schellmann N., Melzig M.F. & Fuchs H.:

The distribution of saponins in vivo affects their synergy with chimeric toxins against tumours expressing human epidermal growth factor receptors in mice.

Brit J Pharmacol 2010;159(2):345-52

Bachran D., Schneider S., Bachran C., Urban R., Weng A., Melzig M.F., Hoffmann C., Kaufmann A.M. & Fuchs H.:

Epidermal growth factor receptor expression affects the efficacy of the combined application of saponin and a targeted toxin on human cervical carcinoma cells.

Int J Cancer 2010;127(6):1453-61.

Berthe A., Kondermann D., Christensen C., Goubergrits L., Garbe C., Affeld K. & Kertzsch U.:

Three-dimensional, three-component wall-PIV

Exp Fluids 2010;48(6):983-997.

Boschmann M., Engeli S., Moro C., Luedtke A., Adams F., Gorzelniak K., Rahn G., Mähler A., Dobberstein K., Krüger A., Schmidt S., Spuler S., Luft F.C., Smith S.R., Schmidt H.H.J. & Jordan J.:

LMNA mutations, skeletal muscle lipid metabolism, and insulin resistance.

J Clin Endocr Metab 2010;95(4):1634-43.

Buscher K., Riese S.B., Shakibaei M., Reich C., Dervede J., Tauber R. & Ley K.:

The transmembrane domains of L-selectin and CD44 regulate receptor cell surface positioning and leukocyte adhesion under flow.

J Biol Chem 2010;285(18):13490-7.

Caglayan E., Romeo G.R., Kappert K., Odenthal M., Südkamp M., Body S.C., Shernan S.K., Hackbusch D., Vantler M., Kazlauskas A. & Rosenkranz S.:

Profilin-1 is expressed in human atherosclerotic plaques and induces atherogenic effects on vascular smooth muscle cells.

PLoS ONE 2010;5(10):e13608.

Chauhan N.S., Sharma V., Thakur M. & Dixit V.K.:

Curculigo orchioides: the black gold with numerous health benefits.

Zhong Xi Yi Jie He Xue Bao 2010;8(7):613-23.

Cramer J.P., Lohse A.W., Burchard G.D., Fischer L., Nashan B., Zimmermann M., Marx A. & Kluge S.:

Low N-acetyltransferase 2 activity in isoniazid-associated acute hepatitis requiring liver transplantation.

Transpl Int 2010;23(2):231-3.

Cremer M., Weimann A., Schmalisch G., Hammer H., Bühner C. & Dame C.:

Immature platelet values indicate impaired megakaryopoietic activity in neonatal early-onset thrombocytopenia.

Thromb Haemostasis 2010;103(5):1016-21.

Dernedde J., Rausch A., Weinhart M., Enders S., Tauber R., Licha K., Schirner M., Zügel U., von Bonin A. & Haag R.:

Dendritic polyglycerol sulfates as multivalent inhibitors of inflammation.

P Natl Acad Sci USA 2010;107(46):19679-84.

Dorji T., Jianlin H., Wafula P., Yamamoto Y., Sasazaki S., Oyama K., Hanotte O., Lin B.Z. & Mannen H.:

Sheep genetic diversity in Bhutan using microsatellite markers.

Anim Sci J 2010;81(2):145-51

Enders S., Riese S.B., Bernhard G., Dernedde J., Reutter W. & Tauber R.:

Binding activity of recombinant human L-selectin-Fc is modified by sialylation

Biochem Eng J 2010;48(2):253-259.

Furundzija V., Fritzsche J., Kaufmann J., Meyborg H., Fleck E., Kappert K. & Stawowy P.:
IGF-1 increases macrophage motility via PKC/p38-dependent alphavbeta3-integrin inside-out signaling.

Biochem Bioph Res Co 2010;394(3):786-91

Goubergrits L., Thamsen B., Berthe A., Poethke J., Kertzsch U., Affeld K., Petz C., Hege H.C., Hoch H. & Spuler A.:

In vitro study of near-wall flow in a cerebral aneurysm model with and without coils.

Am J Neuroradiol 2010;31(8):1521-8.

Han Y., Shchukin D., Yang J., Simon C.R., Fuchs H. & Möhwald H.:

Biocompatible protein nanocontainers for controlled drugs release.

ACS Nano 2010;4(5):2838-44.

Hoffmann C., Hoffmann P., Lun A., Büning C., Hiepe F., Scherer H.U., Steinhagen-Thiessen E. & Weimann A.:

Is there a role for mannan-binding lectin in the diagnosis of inflammatory bowel disease?

Immunogenetics 2010;62(4):231-5.

Hoffmann C., Bachran C., Stanke J., Elezkurtaj S., Kaufmann A.M., Fuchs H., Lodenkemper C., Schneider A. & Cichon G.:

Creation and characterization of a xenograft model for human cervical cancer.

Gynecol Oncol 2010;118(1):76-80.

Hoffmann P., Hoffmann C. & Weimann A.:

Choice of plasmid preparation kit influences sequencing results.

Biotechnol Lett 2010;32(3):421-2.

Kappert K., Furundzija V., Fritzsche J., Margeta C., Krüger J., Meyborg H., Fleck E. & Stawowy P.:

Integrin cleavage regulates bidirectional signalling in vascular smooth muscle cells.
Thromb Haemostasis 2010;103(3):556-63.

Kintscher U., Marx N., Martus P., Stoppelhaar M., Schimkus J., Schneider A., Walcher D., Kümmel A., Winkler R., Kappert K., Dörrfel Y., Scholze J. & Unger T.:

Effect of high-dose valsartan on inflammatory and lipid parameters in patients with Type 2 diabetes and hypertension.
Diabetes Res Clin Pr 2010;89(3):209-15.

Kintscher U, Kappert K.

Telmisartan – Reducing Cardiovascular Risk

ISBN 978-1-84692-079-0

Pharma iv, Clinical Publishing – Oxford, 2010

Moldenhauer S., Burgauner M., Hellweg R., Lun A., Hohenböken M., Dietz E., Kiesewetter H., Salama A. & Moldenhauer A.:

Mobilization of CD133(+)/CD34(-) cells in healthy individuals following whole-body acupuncture for spinal cord injuries.
J Neurosci Res 2010;88(8):1645-50.

Ohshima M., Yamaguchi Y., Matsumoto N., Micke P., Takenouchi Y., Nishida T., Kato M., Komiyama K., Abiko Y., Ito K., Otsuka K. & Kappert K.:

TGF- β signaling in gingival fibroblast-epithelial interaction.
J Dent Res 2010;89(11):1315-21.

Saravia S.G.M., Knebel F., Schroeckh S., Ziebig R., Lun A., Weimann A., Haberland A., Borges A.C. & Schimke I.:

Cardiac troponin T release and inflammation demonstrated in marathon runners.
LaboratoriumsMedizin 2010;56(1-2):51-8.

Schäper J., Ahmed R., Perschel F.H., Schäfer M., Habazettl H. & Welte M.:

Thoracic epidural anesthesia attenuates endotoxin-induced impairment of gastrointestinal organ perfusion.
Anesthesiology 2010;113(1):126-33.

Schellmann N., Deckert P.M., Bachran D., Fuchs H. & Bachran C.:

Targeted enzyme prodrug therapies.
Mini-Rev Med Chem 2010;10(10):887-904.

Schirrmann K., Mertens M., Kertzsch U., Kuebler W.M. & Affeld K.:

Theoretical modeling of the interaction between alveoli during inflation and deflation in normal and diseased lungs.
J Biomech 2010;43(6):1202-7.

Schoenfeld H., Perka C., Ziemer S., Huebner R., Schink T., Neuner B. & Spies C.:

The perioperative von Willebrand factor activity and factor VIII levels among alcohol use disorder patients undergoing total knee or hip replacement.
Subst Use Misuse 2010;45(7-8):1216-29.

Sharma V., Thakur M., Chauhan N.S. & Dixit V.K.:

Effects of petroleum ether extract of *Anacyclus pyrethrum* DC. on sexual behavior in male rats.
Zhong Xi Yi Jie He Xue Bao 2010;8(8):767-73.

Sharma V., Thakur M., Chauhan N.S. & Dixit V.K.:

Immunomodulatory activity of petroleum ether extract of *Anacyclus pyrethrum*.

Pharm Biol 2010;48(11):1247-54

Tansi F.L., Blanchard V., Berger M., Tauber R., Reutter W. & Fan H.:

Interaction of human dipeptidyl peptidase IV and human immunodeficiency virus type-1 transcription transactivator in Sf9 cells.

Virology 2010;7:267.

von Horsten H.H., Ogorek C., Blanchard V., Demmler C., Giese C., Winkler K., Kaup M., Berger M., Jordan I. & Sandig V.:

Production of non-fucosylated antibodies by co-expression of heterologous GDP-6-deoxy-D-lyxo-4-hexulose reductase.

Glycobiology 2010;20(12):1607-18.

Vosgerau U., Lauer D., Unger T. & Kaschina E.:

Cleaved high molecular weight kininogen, a novel factor in the regulation of matrix metalloproteinases in vascular smooth muscle cells.

Biochem Pharmacol 2010;79(2):172-9.

Weber C.S., Thayer J.F., Rudat M., Wirtz P.H., Zimmermann-Viehoff F., Thomas A., Perschel F.H., Arck P.C. & Deter H.C.:

Low vagal tone is associated with impaired post stress recovery of cardiovascular, endocrine, and immune markers.

Eur J Appl Physiol 2010;109(2):201-11.

Wedepohl S., Kaup M., Riese S.B., Berger M., Dervedde J., Tauber R. & Blanchard V.:

N-glycan analysis of recombinant L-Selectin reveals sulfated GalNAc and GalNAc-GalNAc motifs.

J Proteome Res 2010;9(7):3403-11.

Weimann A., Lun A., Lun S., Zimmermann M., Borges A.C., Ziebig R., Gonzalez J.B., Munoz Saravia S.G., Knebel F., Schroeckh S. & Schimke I.:

Leukocyte, neutrophil, immature granulocyte counts and interleukin-6 are superior to procalcitonin, C-reactive protein and delta-He for detection of mild inflammation: data from marathon runners producing mild systemic inflammation visible immediately after the run

LaboratoriumsMedizin 2010;34:53-59.

Weimann A., Rieger A., Zimmermann M., Gross M., Hoffmann P., Slevogt H. & Morawietz L.:

Comparison of six immunohistochemical markers for the histologic diagnosis of neoplasia in Barrett's esophagus.

Virchows Arch 2010;457(5):537-45

Weimann A., Zimmermann M., Gross M., Slevogt H., Rieger A. & Morawietz L.:

CDX2 and LI-cadherin expression in esophageal mucosa: use of both markers can facilitate the histologic diagnosis of Barrett's esophagus and carcinoma.

Int J Surg Pathol 2010;18(5):330-7.

Wellnhofer E., Osman J., Kertzsch U., Affeld K., Fleck E. & Goubergrits L.:

Flow simulation studies in coronary arteries--impact of side-branches.

Atherosclerosis 2010;213(2):475-81.

Weng A., Jenett-Siems K., Schmieder P., Bachran D., Bachran C., Görick C., Thakur M., Fuchs H. & Melzig M.F.:

A convenient method for saponin isolation in tumour therapy.

J Chromatogr B 2010;878(7-8):713-8.

Westphal J.K., Dörfel M.J., Krug S.M., Cording J.D., Piontek J., Blasig I.E., Tauber R., Fromm M. & Huber O.:
Tricellulin forms homomeric and heteromeric tight junctional complexes.
Cell Mol Life Sci 2010;67(12):2057-68.

Wu S., Fischer L., Gökbüget N., Schwartz S., Burmeister T., Notter M., Hoelzer D., Fuchs H., Blau I.W., Hofmann W.K. & Thiel E.:
Expression of interleukin 15 in primary adult acute lymphoblastic leukemia.
Cancer-Am Cancer Soc 2010;116(2):387-92.

Zenclussen M.L., Thuere C., Ahmad N., Wafula P.O., Fest S., Teles A., Leber A., Casalis P.A., Bechmann I., Priller J., Volk H.D. & Zenclussen A.C.:
The persistence of paternal antigens in the maternal body is involved in regulatory T-cell expansion and fetal-maternal tolerance in murine pregnancy.
Am J Reprod Immunol 2010;63(3):200-8.

Zhang J., Tang Q., Zhou C., Jia W., Da Silva L., Nguyen L.D., Reutter W. & Fan H.:
GLIS, a bioactive proteoglycan fraction from Ganoderma lucidum, displays anti-tumour activity by increasing both humoral and cellular immune response.
Life Sci 2010;87(19-22):628-37.

Zimmermann M., Kappert K. & Stan A.C.:
U373-MG cells express PepT2 and accumulate the fluorescently tagged dipeptide-derivative β -Ala-Lys-N(ϵ)-AMCA.
Neurosci Lett 2010;486(3):174-8.

Zimmermann M. & Stan A.C.:
PepT2 transporter protein expression in human neoplastic glial cells and mediation of fluorescently tagged dipeptide derivative beta-Ala-Lys-Nepsilon-7-amino-4-methyl-coumarin-3-acetic acid accumulation.
J Neurosurg 2010;112(5):1005-14.